



1017AD Snaplatch



Mechanical Locks



Mechanical Locks 1017AD Snaplatch



STANDARD FEATURES

- Automatic snaplatch
- Six heavy-duty tumblers
- Mounting fasteners

APPLICATION

For food passes, observation, shutters, and other small swinging doors were Snaplatching is desired. In a detention facility, these locks are suitable for securing utility access doors and small indoor shutters, such as a food pass. Commercial building application possibilities are numerous and include the locking of all types of panels that provide access to mechanical spaces.

FUNCTION

Key activated unlatching. Snaplatches upon closing. Automatic deadlocking latch affording the convenience of "slam" locking

OPTIONAL FEATURES


EXTENDED BOLT - Used for hollow metal door mounting. Specify "1 inch".


1017A-1: KEYED ONE SIDE



Mechanical Locks 1017AD Snaplatch







TECHNICAL DATA

Standard Finish	Galvanized
Cover	Steel
Case	Steel
Lockbolt	Steel
Paracentric Cylin- der	Silicon bronze/ copper alloy
Tumblers	6 tumblers per lock
Lock Size	4.4" L x 3.15" H x 1.35" TK
Lock Weight	3 lbs
Lockbolt Size	1-1/2" H x 3/4" TK
Latchbolt	5/8" extended 1/2" travel

