


# 10 Deadlock



# Folger Adam



For More information please call 210-533-1231

# Mechanical Locks

## 10 Deadlock



### Accessories

(must be specified separately)

- 10-4B – Mortise Keeper and mounting screws.
- 10-4BL – Mortise Keeper Switch with mounting screws.
- 10-4DB – Mortise Keeper with dustbox and mounting screws.
- 10-4F – Surface Keeper and mounting screws.

### Applications

Series 10 Deadlocks are designed for use on small swinging doors such as access panels, plumbing spaces, electric panels or hatches which are infrequently used. They are not intended for use on cell doors. Specify handing when ordering.

### Standard Features

- Mechanical operation – Locks and unlocks by key. For key removal in locked position only, specify a single wing escutcheon on lock mounting or access door.
- Durable case – Ductile iron case, 1/4" thick steel cover.
- Corrosion resistance – Working parts are corrosion resistant.
- Heavy-duty lever tumblers – Spring temper brass tumblers, activated by heavy phosphor bronze springs. Precision fit to locking fence.
- Large, solid deadbolt – Zinc plated steel, 1-1/2" x 3/4".
- Bolt throw – 5/8".
- Bolt projection – 1/2" or 1-1/4" standard.
- Investment-cast key cylinder – One-piece bronze alloy with paracentric keyway.
- Finish – Zinc plated.

### Optional Features

- High security – Six tumbler model offers greater pick resistance.
- Mounting – Hollow metal or plate mounting.

12 Five tumbler model, keyed cover side  
12-6 Six tumbler model, keyed cover side  
16 Five tumbler model, keyed both sides  
16-6 Six tumbler model, keyed both sides


For More information please call 210-533-1231



# Mechanical Locks

## 10 Deadlock

Note: Dimensions are for information and planning purposes only, and should not be used as templates.




Specify circled swing number when ordering.

MOUNTING PLATE HINGE SIDE		MOUNTING PLATE STOP SIDE	
KEYED BOTH SIDES	1 RH 2 LH	KEYED BOTH SIDES	3 LH 4 RH
KEYED HINGE SIDE	5 RH 6 LH	KEYED STOP SIDE	7 LH 8 RH
KEYED STOP SIDE	9 LH 10 RH	KEYED HINGE SIDE	11 RH 12 LH

1-1/4" projection required with stop-side mounting.

### LEGEND



For More information please call 210-533-1231