



7010 Mechanical Lock



RR Brink

For More information please call 210-123-4567



Mechanical Locks

7010 Mechanical Lock



APPLICATION

The 7010 is the industry standard lever tumbler dead-bolt widely used in correctional facilities for maximum security locking of utility access panels.

The 7010 is recommended for key controlled locking of electrical and plumbing access panels, roof hatches, and miscellaneous small openings within the secure perimeter of a jail or prison. The 7010 is not recommended for use on full size doors. Both locking and unlocking is accomplished with a proprietary RRBLS paracentric type key. The key cannot be removed from the lock unless the bolt is fully extended and deadlocked. This safety feature alerts the user to an obstruction in the bolt keeper or receiver which would jeopardize security.

STANDARD FEATURES

- Industry standard template
- Investment cast steel lock case, zinc plated
- Stainless steel deadbolt
- One piece bronze paracentric cylinder
- Bolt retracted projection 1/2"
- Bolt throw: 5/8"
- Bolt size: 1-1/2" x 3/4"
- Four mounting screws included

Accessories (must be ordered separately)

- **Prison key** – Investment cast bronze alloy – specify quantity of keys required

• **Bolt keepers**

7010K standard mortise

7010KD mortise with dust box

7010SA surface applied

Lock Mountings (must be ordered separately) The access panel manufacturer usually provides a mounting plate for the 7010 lock. Otherwise RRBLS factory mountings are available for hollow metal and plate doors. They are constructed of 7-gauge steel and electroplated for corrosion resistance. Mounting is removable for cleaning and repair of lock. Escutcheons must be purchased separately. All mounting screws are included. Consult factory directly for template of lock mountings.


- **Hollow Metal Mounting** (specify HM Mounting) – for use on hollow metal doors.
- **Plate Mounting** (specify P Mounting) – for use on steel plate doors. Allows lock to be rim mounted.



For More information please call 210-123-4567

Mechanical Locks

7010 Mechanical Lock



Note: This illustration is for information only.
Do not use for construction. Consult R.H. Brink
Customer Service Personnel for templates.

ORDERING INFORMATION

Model	Description
7012	Keyed one side
7016	Keyed one side

For More information please call 210-123-4567

